

REPORT OF COMPLETED WORKS - SEACOAST FORTIFICATIONS.
(Fire control and torpedo structures)

COAST DEFENSES OF Sandy Hook

FORT Hancock, N.J.

Form 2 Corrected to July 1, 1921.

STRUCTURE Enlisted Men's Dormitory

Location	: About 40 ft. northwesterly from Officer's Dormitory and 140 ft. from Battle Commander station.	Type of data transmission	: -
Date of transfer	: March 1, 1909.	Date of transfer	: -
Cost to date	: \$3,520.00	Cost of data transmission equipment.	: -
Type of construction	: Indian Red Asbestos Shingles on wood	For tide stations give description of tide gauge.	: -
(a) Roof	: Concrete	For datum points give Forts from which visible	: -
(b) Remainder of building	: None	For dormitories give stations served	: -
How concealed	: -	For cable hut give S.C. type	: -
How protected	: -		: -
Height above concealment	: -		: -
Height above protection	: -		: -
Conspicuous at 5000 + yards	: Yes		: -
Source of electric current	: Central Power Plant		: -
Kilowatts required	: .68 K.W.		: -
Type of lighting fixtures	: Ceiling and drop		: -
How heated	: Stove		: -
Connected to water mains	: Yes		: -
Connected to sewer	: Septic tank		: -
Type of latrine	: Inside sanitary		: -
Permanent or temporary installation	: Permanent		: -
Present condition	: Good		: -
Reference of site	: 10.7 ft. above m		: -
Reference of instrumental axis	: -		: -
Type of observing instrument	: -		: -
Type of plotting board	: -		: -
Type and capacity of crane	: -		: -
Max. dimensions of reel handled	: -		: -

